


How to assemble and install Hollaender VUE glass railing


Tools Required

- White rubber mallet
- Straight line
- Chalk line
- 6 in and 24 in level
- Impact for self tapping screws
- Hammer drill – for anchors
- Standard drill
- Selection of drill bits
- Hand tools



RAILING LAYOUT

- Check field conditions for square
- Adjust layout as needed
- Snap a chalk line and lay out post locations
- Use one of the base flanges as a template to locate drill locations for anchors
- While installing base flanges, use a 6 inch level to ensure posts will be plumb
 - Use shims as needed to adjust level or height of posts



PRE ASSEMBLY OF RAILING FRAME

- Install fittings on post
 - Leave screw at least one rotation loose.
 - This will leave enough room to install glass later.
 - Ensure that gasket separating metal screw from glass is installed.


Hollaender®

The Hollaender Manufacturing Company


P.O. Box 156399 | 10285 Wayne Avenue | Cincinnati, Ohio 45215-6399
800.772.8800 | 513.772.8800 | Fax: 800.772.8806

www.hollaender.com

How to assemble and install Hollaender VUE glass railing



- Install fittings on the top rail



ASSEMBLY

- Attach posts to base flanges.
 - Post mounted panel clips must be perpendicular – at right angles – to the horizontal run of the rail.
- Snug up set screws at bottom of post to hold post in place
 - These may need to be loosened later to align top rail and glass.


Hollaender®

The Hollaender Manufacturing Company


P.O. Box 156399 | 10285 Wayne Avenue | Cincinnati, Ohio 45215-6399
800.772.8800 | 513.772.8800 | Fax: 800.772.8806

www.hollaender.com

How to assemble and install Hollaender VUE glass railing



- Begin installation of the top rail, starting at the end of a run and working your way around the railing system layout.



- Install glass
- Use a 2 man crew minimum.
- One man should lift glass from top, while other person guides it from the bottom.
- Snug up set screws holding the glass enough to keep glass in place
- Start at the end of a run, work your way around the run.


Hollaender®

The Hollaender Manufacturing Company

P.O. Box 156399 | 10285 Wayne Avenue | Cincinnati, Ohio 45215-6399
800.772.8800 | 513.772.8800 | Fax: 800.772.8806

www.hollaender.com

How to assemble and install Hollaender VUE glass railing



- After all glass is installed, ensure all glass is aligned, and tighten all screws connecting railing frame and holding glass.

05082014

Hollaender[®]

The Hollaender Manufacturing Company

P.O. Box 156399 | 10285 Wayne Avenue | Cincinnati, Ohio 45215-6399

800.772.8800 | 513.772.8800 | Fax: 800.772.8806

www.hollaender.com